



Review on antispasmodic activity of *crocus sativus* and *abies*

S Tamilselvi¹, R Sathyaseela², S Iyswarya³, U Sowmiya⁴, B Sowmiya⁴

¹ Professor, Department of Gunapadam, Sri Sai Ram Siddha Medical College and Research Centre, Chennai, Tamil Nadu, India

² Professor, Department of Kuzhandhai Maruthuvam, Sri Sai Ram Siddha Medical College and Research Centre, Chennai, Tamil Nadu, India

³ Lecturer, Department of Gunapadam, Sri Sai Ram Siddha Medical College and Research Centre, Chennai, Tamil Nadu, India

⁴ Crri, Sri Sai Ram Siddha Medical College and Research Centre, Chennai, Tamil Nadu, India

Abstract

Antispasmodic activity is used to relieve spasm in smooth muscle. *Crocus sativus* commonly known as saffron belong to iridaceae family, rich in carotenoid used in traditional medicine such as cough, stomach disorders, amenorrhea and asthma. The relaxant effect of *crocus sativus* on smooth muscle are due to its constituents such as safranin, crocin, crocetin and kaempferol. The therapeutic effects of this plant are also suggested in blood vessels and various smooth muscles. It is used in siddha formulation such as kungumapoo tablet *Abies webbiana* belong to pinaceae family rich in flavonoids and tannin used for anti-spasmodic, bronchodilator. They show Ca^{++} channel blocking effect. It is main ingredient in siddha formulation such as thalisathichooranam, elathychooranam and thalisathivadagam. In this study, we have investigated antispasmodic activity of *Abies webbiana* and *crocus sativus*.

Keywords: *crocus sativus*, antispasmodic activity, *Abies webbiana*, phytochemicals

Introduction

The antispasmodic effect of drugs is commonly used for the reduction of excessive smooth muscle contractility which is responsible for cramping and discomfort in smooth muscle that includes abdominal area and blood vessels. Irritable bowel syndrome, colitis, pancreatitis, gastritis, gall stones, dysmenorrheal cases may require antispasmodic treatment. Siddha system of medicine is a distinct therapeutic science with many single drugs and compound formulation used for treating a broad spectrum of ailments. The drug sources are obtained from plant, mineral, metal and animals. Herbal drugs have been used widely in many countries because of its availability, cost efficient and safer than the synthetic drugs.

Several aromatic plants were used in traditional medicine for the treatment of spasm. Nowadays, antispasmodic botanical remedies are used by constantly increasing number of patients for symptomatic treatments of dyspepsia, colonic or ureteral spasms and uterine cramps. Hence this review aimed at the investigation of antispasmodic effect of two plants namely *crocus sativus* and *abies webbiana* belong to Iridaceae and Pinaceae respectively.

Methods

A study was performed in PubMed, Research gate, Ncbi, Scholarly articles. The search terms “Antispasmodic activity” (spasmolytic) *crocus sativus* and *abies webbiana* were used for data selecting only articles on antispasmodic activity of *crocus sativus* and *abies webbiana* were focused.

Phytochemical Analysis

Crocus Sativus

Tamil Name: Kungumapoo

Parts used: Stigma

Scientific Classification

Kingdom: Plantae

Division: Magnoliophyta

Class: Liliopsida

Order: Asparagales

Family: Iridaceae

Genus: *Crocus*

Species: *C. sativus*



Fig 1

Action

- Stimulant
- Stomachic
- Anodyne
- Antispasmodic

Phytochemical Constituents

- Crocin
- Crocetin
- Picrocrocin
- Carotene
- Lycopene

Mechanism of Action

Crocus sativus commonly known as saffron is a small perennial plant belong to Iridaceae family. It has gray green hairy margins leaves and grows to about 30-35 cm long and funnel shaped reddish-purple flower with red stigmas. The stigma is commonly used as a flavoring and yellow coloring additive in foods.

Main constituents of saffron stigma are crocin (responsible for colour), picrocrocin (responsible for bitter taste) and safranal (responsible for odour and aroma). It contains more than 150 volatile aroma yielding compounds and non-volatile compounds which are carotenoids including zeaxanthin, lycopene, alpha and beta carotene. *C. sativus* has been used as antispasmodic, eupptic, gingival sedative, carminative, expectorant, stimulant, stomachic, aphrodisiac and emmenagogue medicine.

The aqueous extract of saffron stigma, safranal and crocin decreased mean arterial blood pressure in a dose-dependent manner. The hypotensive effect of the extract is perhaps due to its relaxant effect on vascular smooth muscle. The results also suggested that safranal, the major constituent of the plant, contributes to the hypotensive activity. Safranal also showed concentration-dependent relaxant effect on tracheal smooth muscle.

Effects of *C. sativus* on different types of smooth muscles:

- AE of saffron stigma decreases the mean arterial blood pressure of animals and reduces the enhanced mean systolic pressure.
- AE and EE have inhibitory effect on heart rate and contractility and have potential relaxing effect on tracheal smooth muscle.
- AE and EE of *C. sativus* petals reduces the blood pressure
- AE of safranal and saffron has antitussive effect.
- Saffron has relaxant effect in uterine contraction.
- Safranal has relaxant effect on tracheal smooth muscle.

Calcium Channel Antagonistic Effects

Crocin could inhibit Ca^{2+} influx and release of intracellular Ca^{2+} which stores in the endoplasmic reticulum in bovine aortic smooth muscle cells. It was also shown that reduction of intracellular Ca^{2+} release may contribute to relaxation of the corpus cavernosum, leading to erection. Coronary and other diseases in cardiac or brain blood vessels are considered to be due to the excessive influx of Ca^{2+} into cytoplasm. So, Ca^{2+} channels blockers are of therapeutic value in treatment of these diseases. The effect of *C. sativus* on Ca^{2+} influx in isolated rat

aortas was investigated using ^{45}Ca as a radioactive tracer, and their calcium antagonistic effects were evaluated. Ca^{2+} uptake in isolated rat aorta rings in normal physiological status was not markedly altered by these drugs, whereas Ca^{2+} influx induced by norepinephrine $1.2 \mu\text{mol/L}$ and KCl 100 mmol/L were significantly inhibited by *C. sativus* in a concentration-dependent manner.

The results showed that Ca^{2+} influx through receptor-operated Ca^{2+} channels and potential-dependent Ca^{2+} channels can be blocked by the plant. It is conceivable that the hypotensive effect of saffron in chronic treatment is related to its inhibitory effect on smooth muscles via blocking calcium channel or inhibiting sarcoplasmic reticulum Ca^{2+} release into the cytosol.

Crocin also concentration-dependently inhibited the total cholesterol (TC) and Cholesteryl ester (CE) elevation induced by Ox-LDL. The results indicated that crocin could inhibit the increased intracellular $[\text{Ca}^{2+}]$ in smooth muscle cell.

Kungumapoo mathirai is the drug which is used to treat various diseases such as sinusitis, gastritis, chronic constipation and hyperhidrosis in Siddha medicine. The dosage of the drug is 1-2 tablets in the morning and evening after food with the adjuvants like honey, or with mother's milk in case of children. The preparation of this drug is to take all the below mentioned drug in equal ratio and make it fine. Then the powdered medicine should be churned with the decoction made by the saffron for 3 hours continuous. Then make the churned medicine into small pills with weight of 50mg each. Most of the drugs included in the preparation of Kungumapoo Mathirai have anti-cholinergic effect or antispasmodic effect. In Siddha system of medicine Kungumapoo Mathirai has the effect of anti-cholinergic or antispasmodic effect. The ingredients of Kungumapoo mathirai are

- Kunguma poo (*Crocus sativus*)
- Sukku (*Zingiber officinalis*)
- Venmilagu (*Piper nigrum*)
- Vaal milagu (*Piper cubeba*)
- Koshtam (*Costus speciosus*)
- Omam (*Carum capticum*)
- Thippili (*Piper longum*)
- Lavangam (*Syzygium aromaticum*)
- Elarisi (*Elettaria cardomom*)
- Korosanam (Ox bile)
- Vengaram (Sodium biborate)
- Lingam (Red Sulphide of Mercury)
- Sambarani poo (*Styrax benzoin*)



Fig 2

All the herbs used in this formulation has the action of widening the bronchial passages so it is proven that all these ingredients can cure the diseases of respiratory passage through its antispasmodic activity.

Abies Webbiana

Tamil Name: Thalisedhi

Parts used: Leaves

Scientific Classification

Kingdom: Plantae
Division: Pinophyta
Class: Pinopsida
Order: Pinales
Family: Pinaceae
Genus: *Abies*
Species: *A. webbiana*

Action

- Stomachic
- Carminative
- Expectorant
- Tonic

Phytochemical Constituents

- Taxol
- Taxine
- Taxinine
- Ephedrine

Mechanism of Action

Abies webbiana commonly known as thalisapatri belong to the Pivaceae family grown in northern India. It is a large tree grows up to 50m height. It acts as an expectorant, carminative, stomatic. The phytochemicals include steroids, terpenes, sugar, phenol, flavonoids, tannins, saponins and quinones.

Smooth muscles are a key element present in the internal structure of multiple abdominal organs including stomach, intestine, bladder or uterus, receiving innervation from the autonomic nervous system but also autocrine or paracrine stimuli. Recently, considerable progress was made to understand in great molecular detail the complex physiology of smooth muscle contraction. Excitation-contraction coupling occurs when Ca^{2+} ions enter from the extracellular side into the smooth muscle cells through sarcolemma voltage-dependent calcium channels, being also released from intracellular stores via inositol 1,4,5-triphosphate receptor (IP3R) situated on endoplasmic reticulum (ER). The calcium release from ER is triggered by the binding of agonists like acetylcholine or histamine on specific G-protein coupled receptors (GPCRs) from the membrane of smooth muscle cells, which activate phospholipase-C (PLC) to generate IP3. After the intracellular concentration of calcium has increased, Ca^{2+} ions bind to calmodulin (CaM) and phosphorylate the myosin light-chain kinase (MLCK) with the subsequent activation of the contractile apparatus.

Thus, the identification and characterization of multiple molecular targets involved in smooth muscle contraction has led to the development of a variety of drugs able to reduce excessive contractility responsible for cramps and colics of the abdominal organs. Among potential new drug candidates, sterols have become increasingly attractive due to their complex chemical composition and multiple pharmacological mechanisms such as inhibition of voltage-dependent calcium channels, modulation of potassium channels, antagonism of cholinergic receptors, and modulation of intracellular cyclic adenosine monophosphate (cAMP).

The opening of voltage-dependent calcium channels (VDCCs) is directly responsible for Ca^{2+} influx into the smooth muscle cells, partially triggering the contractile mechanism. Thus, inhibition of VDCCs has a good potential of relaxing smooth muscles, already used by several antispasmodic drugs like pinaverium. Sterols have been studied for their antispasmodic effect, the inhibitory effect on voltage-dependent calcium channels being the most commonly reported mechanism of action.

The main intracellular second messengers cAMP and cGMP are directly involved in smooth muscle relaxation. cAMP is generated by adenylyl cyclase mainly as a result of beta-adrenergic receptor activation. cGMP is produced by soluble guanylyl cyclase activated by nitric oxide or other mediators. Both cAMP and cGMP activate protein kinases PKA and PKG which may relax smooth muscles either by increasing the expulsion of calcium from the cell or by activation of MLC phosphatase which inhibits MLCK. The levels of cAMP and cGMP are severely reduced by the intervention of phosphodiesterase (PDE) involved in their degradation to inactive metabolites.

In Siddha medicine Thalishathi choornam used in treatment of gunmam(peptic ulcer), kaamalai(jaundice), suram(fever), velai(leucorrhoea), irumal(cough), Sali(phlegmatic conditions/pneumonia), a wide range of kaba noigal and kaadhu noigal(ear diseases). The dosage of the drug is 1 gram in honey. The ingredients of Thalishathi chooranam are

- Thaalesapathiri (*Taxus beccata*)
- Lavangapattai (*Cinnamomum zeylanicum*)
- Elakkai (*Elettaria cardamomum*)
- Chukku (*Zingifer officinale*)
- Adhimadhuram (*Glycyrrhiza glabra*)
- Perungayam (*Ferula asafetida*)
- Nellimulli (*Emblica officinalis*)

- Kostham (*Saussurealappa*)
- Thippili (*Piper longum*)
- Seeragam (*Cuminum cyminum*)
- Sadakuppai (*Anethum sowa*)
- Karunseegram (*Nigella sativa*)
- Thippilimoolam (*Piper longum*)
- Lavangam (*Syzygiumaromaticium*)
- Millaku (*Piper nigrum*)
- Jaadhikai (*Myristica fragrans*)
- Sadaamanjil (*Nardostachys jatamansi*)
- Sirunaga poo (*Cinnamomom verum*)
- Shenbagamokku (*Michelia champaca*)
- Vaividangam (*Embelia ribes*)
- Omam (*Trachyspermum ammi*)
- Kothamalli (*Coriandrum sativum*)
- Thandrikai (*Terminalia bellarica*)
- Sugar (*Saccharum officinuram*)

Conclusion

This review shows the antispasmodic activity of two plants *abies webbiana* and *crocus sativus*. The main mechanism of antispasmodic effect was represented by inhibition of calcium channels, modulation of potassium channels and modulation of intracellular CAMP. These plants also have other therapeutic effects but need future clinical studies.

References

1. Radha P, Udhayavani C, Nagaraj R. A Comprehensive Review on Medicinally Important Gymnosperms Mentioned in Siddha, Journal of research in siddha medicine, 2018.
2. Rajalakshmi SP, Srinivasan V, Ramamurthy M, Elansekaran S, Christian GJ. A review on hypo hidrotic effect of siddha formulation –kungumapoo mathirai, International Journal of Ayurveda and Pharma Research, 2016;4(5).
3. Ahmad Reza Gohari Soodabeh Saeidnia, and Mahdie Kourepaz Mahmoodabadi. An overview on saffron, phytochemicals, and medicinal properties, Pharmacogn Rev, 2013;7(13):61-66.
4. Bahareh Amin Hossein Hosseinzadeh. Analgesic and Anti-Inflammatory Effects of Crocus sativus L. (Saffron), Bioactive nutraceuticals and dietary supplements in neurological and brain disease, 2015, 319-324.
5. Younesi Hossein Hosseinzadeh, Hani M. Antinociceptive and anti-inflammatory effects of Crocus sativus L. stigma and petal extracts in mice, BMC Pharmacol, 2002;2:7.
6. Simona Codruta Heghes 1OrcID Oliviu Vostinaru 2, Lucia Maria Rus 1, Cristina Mogosan 2, Cristina Adela Iuga 1, 3OrcID and Lorena Filip 4. Antispasmodic Effect of Essential Oils and Their Constituents: A Review, Molecules, 2019;29:24(9):1675.
7. Vellingiri Vadivel Prakash Anand, Sarkar Monaj kumar, Perumal Rajalakshmi, Pemaiah. Chemical Fingerprints of an Indian Traditional Herbal Drug Talisapatra (*Abies webbiana*) and Comparison with English yew International journal of pharmacognosy and phytochemical research, 2018.
8. Matteo Caser* Sonia Demasi, Stefania Stelluti, Dario Donno, Valentina Scariot. Crocus sativus L. Cultivation in Alpine Environments, agronomy, 2020;10(10):1473.
9. Srivastava R, Ahmed H, Dixit RK, Dharamveer, Saraf SA. Crocus sativus L.: A comprehensive review, Pharmacogn Rev, 2010;4(8):200-208.
10. Shu-ying He Zhi-yu Qian, Fu-tian Tang. Effect of crocin on intracellular calcium concentration in cultured bovine aortic smooth muscle cells, YaoXueXueBao, 2004;39(10):778-81.
11. Khare CP. Indian herbal remedies, Berlin: Springer, 2007, 2.
12. Zahra Bathaie S, Zeinab Mousavi S. New Applications and Mechanisms of Action of Saffron and its Important Ingredients, Crit Rev Food Sci Nutr, 2010.
13. Rajalakshmi p, Vadivel v, Ravichandran n, Sudha v, Brindha p. pharmacognostic evaluation of abies webbiana leaf: a siddha herbal Asian Journal of Pharmaceutical and Clinical Research, 2016.
14. Ghosh Ashoke K, Sanjib B. Pharmacognostic Studies on Leaves of *Abies webbiana* Grown in Sikkim Himalayan Region of India, Pharmacognosy Res, 2010;2(3):186-189.
15. Singh RK, Bhattacharya SK, Acharya SB. Pharmacological activity of *Abies pindrow*, Ethnopharmacol, 2000;73(1-2):47-51
16. Mamoona Yasin, Khalid Hussain Janbaz, Imran Imran, Anwar-ul-Hassan Gilani, Samra Bashir. Pharmacological Studies on the Antispasmodic, Bronchodilator and Anti-Platelet Activities of *Abies webbiana*, Phytother Res, 2014;28(8):1182-7.
17. Ashoke Kumar Ghosh Sanjib Bhattacharya. Planar chromatographic studies on *Abies webbiana* leaves, International Journal Of ChemTech Research, 2009;1(4):807-814.

18. Beatrice A Williams Caiqiong Liu, Ling Deyoung, Gerald B Brock, Stephen M Sims. Regulation of intracellular Ca²⁺ release in corpus cavernosum smooth muscle: synergism between nitric oxide and cGMP, *American Journal of Physiology- Cell physiology*,2005;288(3):c650-8.
19. Boskabady MH, Aslani MR. Relaxant effect of *Crocus sativus* (saffron) on guinea-pig tracheal chains and its possible mechanisms, *J Pharm Pharmacol*,2006;58(10):1385-90.
20. Mohammad-Hossein, Boskabady, Vahideh Ghorani, Azam Alavinezhad, Saffron. its main derivatives, and their effects on the respiratory system, *Woodhead Publishing Series in Food Science, Technology and Nutrition*, 2020.
21. Ahmad Bilal Ab. Hamid Wani, Amina Khan, Rouf Hamza. Saffron: A repository of medicinal properties, *Journal of Medicinal Plants Research*,2011;5(11):2131-2135.
22. Murugesu mudhaliyar. Siddha Materia Medica (Medicinal plants division), Homeopathy Department- Indian Medicine,2006:350:510.
23. Webb R Clinton. smooth muscle contraction and relaxation, *Advances in Physiology Education*, APS journals, 2003.
24. Amin Mokhtari-Zaer 1 Mohammad Reza Khazdair,1,2 and Mohammad Hossein Boskabady1. Smooth muscle relaxant activity of *Crocus sativus* (saffron) and its constituents: possible mechanisms, *Avicenna J Phytomed*,2015;5(5):365-375.
25. McNeill Charles V. Jackson John H. // Calcium and Contractility / book auth. Grover A.K. Daniel E.E. Smooth Muscle Relaxants, *Contemporary Biomedicine*, Humana Press,1985:5:119-141.
26. Mohammad Hossein Boskabady Goltaj Byrami, Azadeh Feizpour. The effect of safranin, a constituent of *Crocus sativus* (saffron), on tracheal responsiveness, serum levels of cytokines, total NO and nitrite in sensitized guinea pigs, *Pharmacol Rep*,2014;66(1):56-61.
27. Kuppusamy mudhaliyar, Uthamarayan. Siddha vaidhya thiratu, Homeopathy Department- Indian Medicine, 2009, 225.